

Order Form - Canada

Custo							
	mer and Order Inform	ation					
Purchase	Order *		Тад			v.	.0401
Dealer/Pr	ovider Name *						
Purchase	r Name and Contact Information *						
Shinning	Address *						
User Infor	rmation (<i>if available</i>) Weight		lbs Height	ft/in		* re	quired
Base (- bair						
Dase		AntoniouT					
2201000	Stellar LEAP Manual Posterior 8 Stellar GL Manual Wheelchair with 20'			hay apply.		÷	4 2 0 0
2201000	25° Anterior Tilt with Linked Back 30			f 15°		\$ \$	4,300 100
2201102	30° Dynamic Back Recline		valuable with reduced rostenor hitrange o			\$	895
Weigh	t Capacity						
2202000	250 lbs Chair Weight Capacity						
2202000	250 lbs Chair weight Capacity						
Frame	Options						
2202300	Transit Tie Down System (TTDS						
	TTDS includes 4 factory-installed transport	brackets. TTDS	has been tested according to ANSI/RESNA \	WC 19. See Owne	ers Manual for complete details.		
Seat V	Vidth			Overall chair w	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW		
	Standard Seat Widths						
2203014	14" Seat Width	2203015	15" Seat Width	2203016	16" Seat Width		
2203017	17" Seat Width	2203018	18" Seat Width	2203019	19" Seat Width		
2203020	20" Seat Width	2203021	21" Seat Width	2203022	22" Seat Width		
Seat D)epth						
	Standard Seat Depths (Adjustal	ble)					
2204016	16" Seat Depth	2204017	17" Seat Depth	2204018	18" Seat Depth		
2204019	19" Seat Depth	2204020	20" Seat Depth				
	Custom Seat Depths						
2204021	21" Seat Depth	2204022	22" Seat Depth			\$	400
Frame	Color						
	PDG Premium Colors View color	swatches on PD	OG's website. <u>pdgmobility.com/colors</u>				
2205001	Black Shimmer	2205015	Sky Blue	2205016	Poppy Red		
2205003	Fine Texture Black	2205010	Lollypop Blue	2205011	Lollypop Red		
2205017	Arctic Grey	2205018	Tropical Teal	2205019	Tangerine Orange		
2205020	Olive Green	2205021	Lush Lilac	2205012	Bubble Gum Pink		
	Leaf Green	2205023	Boysenberry Purple	2205014	Daffodil Yellow		
2205022			boysenberry r apre				



Order Form - Canada

A r m r e	ests	
2206000	No Armrests	
	Single Post Height Adjustable Armrests	\$ 295
2206111	8"-11" Range 🗌 2206114 10"-14" Range	2206116 12"-16" Range
	Dual Post Height Adjustable Armrests	\$ 295
2206211	8"-11" Range 🗌 2206214 10"-14" Range	2206216 12"-16" Range
	Fixed Height Armrests (12") Full Length Armpad only.	
2206100	Single Post 🗌 2206200 Dual Post	
1	Armrest Height If provided, Armrests will be set to this height by PD	. If left blank, the default setting will be used.
1	Seat Pan to top of Armrest: Does not include	height of Armpad
J.	Armrest Position Indicate preference for Armrest position. If left bla	k, the default setting will be used.
_	In the interest of maintaining chair stabily and avoiding interferance with ot	
2206401	Rear 2206402 Mid	2206403 Front
	Locking Flip-up Not recommended for users with excessive strengtl Not compatible with Fold-down Back, Clothing Guards, Back Upholstery. Ava	
	_	$\square 2206312 \text{Set at } 12"$
2206310 2206313		2206312 Set at 12
2200313		
A r m p a	a d s	
	Regular Armpads	
2207100	Desk Length - 2" x 10" 2207101 Full Length - 2	x 14"
	Waterfall Armpads	\$ 115
2207105	Desk Length - 2" x 10" 2207106 Full Length - 2	x 14"
	Wide Armpads May interfere with wheels in some tilt configurations	\$ 200
2207110	Desk Length - 3" x 10" 2207111 Full Length - 3	x 12"
	Gel Armpads May interfere with wheels in some tilt configurations.	\$ 135
2207120	Full Length - 2" x 12" 2207121 Full Length - 3	5" x 12"
	Contour Arm Trough with Hand Pad May interfere with whe	ls in some tilt configurations. \$ 125
2207130	Right (4.5" x 18") 2207131 Left (4.5" x 18")	
Armre	est Options	
ATIITE		
	Armrest Wideners Move Armrests outward by up to 1" on each side	
2207210 2207211		\$ 95 \$ 195
2207211		\$ 195
2207310	Clothing Guards Not compatible with Flip-up Armrests. For Single Post Armrests Not compatible with 8"-11" Height range.	ć 110
2207310		\$ 110 \$ 165
L 2207320	Armrest Extensions Not compatible with Flip-up Armrests, Desk Le	
2207400		
Seat P	^p an	
2208000	No Seat Pan	
2208001	Solid Aluminum Seat Pan	\$ 135



Order Form - Canada

Don't forget	Select desired Seat-to-Floor Height STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).		
	Low High		
	RW 13" 14" 15" 16" 17" 18" RW 15" 16" 17" 18" 19" 20"		
	12" □ □ 12" □ □ □ □ 16" □ □ □ 16" □ □ □ □ 50 20" □ □ □ □ □ □ □		
	50 20" 1 1 20" 1 1 1 1 22" 1 1 1 22" 1 1 1 1		
	22 1 1 1 22 1 1 1 1 24" 1 1 1 1 1 1 1		
	γ Low High		
	RW 13" 14" 15" 16" 17" 18" RW 15" 16" 17" 18" 19" 20" 16" 0 0 0 16" 0 0 0		
	24" <u>24</u> " <u>24</u> " <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u> <u>1</u>		
Caster			
	Urethane Casters 8" Casters are compatible only with 16" and 24" Rear Wheels.		
2211061	6" x 1.25" Caster size 2211081 8" x 1.25" Caster size		
2211063	6" x 1.50" Caster size	\$	85
2211084		\$	135
		~	155
_			
2211161		\$	110
2211181		\$	120
2211184	8" x 2.00" Caster size	\$	150
2211260	Frog Legs 6" x 1.50" Aluminum Soft-Roll Casters	\$	275
2211400	Frog Legs Suspension Forks Only compatible with 16 and 24" Rear Wheels. Requires 6" Soft-Roll Caster.	\$	595
Dee v V			
Rear V	Composite Wheels		
	-		
_	12" Wheel size 2212016 16" Wheel size 2212020 20" Wheel size		
2212022	22" Wheel size 2212024 24" Wheel size		
	Spoke Wheels	\$	75
2212120	20" Wheel size 2212122 22" Wheel size 2212124 24" Wheel size		
2212224	24" Heavy Duty Spoke Wheels	\$	350
\$	Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.		
-	In the interest of maintaining chair stabily and avoiding interferance with other chair functions, PDG may not be able to accommodate stated preference.		
2212401	Rear		
Axle T	v p e		
Axle T	v p e		
Axle T	/ p e Quick Release Rear Axles Fixed Rear Axles		
Axle T 2213000 2213010 Rear T	r e s		
Axle T 2213000 2213010 Rear T 2214000	r e s Urethane Tires	¢	
Axle T 2213000 2213010 Rear T	<pre>/pe Quick Release Rear Axles Fixed Rear Axles r e s Urethane Tires Pneumatic Tires May result in a finished Seat Height 1/2" greater than stated.</pre>	\$ \$	60



Order Form - Canada

Handr	ims Handrims are only available with 20", 22", and 24" Rear Wheels.		
2215000	No Handrims		
2215010	Standard Handrims		
2215020	Plastic Coated Handrims Not compatible with Drum Brakes.	\$	150
2215030	Projection Handrims Composite Wheels only. 10 Projections, 30°, 1-1.8" Length.	\$	495
Wheel	Locks & Brakes		
_	User Wheel Locks		
2216010	Push to Lock 2216020 Pull to Lock		
2216030	Attendant Wheel Locks (Push to Lock)	\$	85
2216040	User & Attendant Wheel Locks Not compatible with Drum Brakes.	\$	125
2216300	Drum Brakes Available with 12" Composite or 20" Spoke Rear Wheels. Urethane Tires only.	\$	795
	User-activated Unilateral Wheel Lock Pull to Lock.	\$	795
2216310	Left Activation 🗌 2216311 Right Activation		
Wheel	Lock Options		
2216100	Wheel Lock Extensions Not compatible with Attendant Wheel Lock.	\$	60
2216200		\$	
	Hill Holders Requires Pneumatic Rear Tires with Flat-Free Inserts.	ڊ 	450
Anti-T	ippers		
2217010	Rear Anti-Tippers Required Safety Option.	\$	75
2217020	Front Anti-Tippers	\$	795
2217030	Heavy Duty Rear Anti-Tippers Provide additional rearward stability for users with excessive movement.	\$	895
	Not compatible with Attendant Wheel Locks, IV Pole, O2 Holder.		
Back F			
Dacki			
	Back Post Style		
2218010	Stroller Handle Back 🗌 2218020 Cane Handle Back Not compatible with Headrest Mounting Plate.		
2218420	Back Post Height Measured from the Seat Pan to the Handle. Short (17") 1518425 Tall (23")		
2218420			
2219220	Back Post Folding Fold-down Back is not compatible with Dynamic Rocker Back Interface, Reclining Backrest. Fold-down 2119221 Non-folding		
	Seat to Back Angle		
2219090	Set at 90°		
2219090	Set at 100 221900 Set at 100 Set at 114° 2219122 Set at 122°		
Back C	Options		
	Angle/Height Adjustable Stroller Handle Not compatible with Headrest Mounting Plate or Cane Handle Back.	\$	150
2219010	Button on Outside 🗌 2219011 Button on Inside		
	Endomorph Back Backrest will be narrower than Seat by total of 2x the Offset selected below. Minimum width of Backrest is 12".	\$	395
2218102	1" Offset per side 2218103 1.5" Offset per side 2218104 2" Offset per side		
2219210	10" Backrest Extension Not compatible with Angle/Height Adjustable Stroller Handle.	\$	150
2219212	Headrest Mounting Plate	\$	95
	Not compatible with Backrest Extension, Angle/Height Adjustable Stroller Handle, Cane Handle Back. Not required if mounting to a solid Back.		



Order Form - Canada

Prices in Canadian Dollars. January 1, 2024

back c	Jpholster	у																				
2220000	No Back Uph	olstery																				
	Standard Up	holster	y No	t availał	ole with	Cane Ha	andle Ba	ack.												\$	195	
2220418	Short (18" Heig	ht)			22	220421	Regu	lar (21"	' Heigh	it)												
2220450	Tension Adju	ıstable	Upho	lstery	Heig	ht of Up	oholster	y is 16".	Not ava	ilable w	ith Can	e Handle Back.								\$	295	
	Position of U	pholste	ery s	select th	e desire	d positi	on of th	ne top of	f the Up	holstery	/ relative	e to the Seat Pan.										
				17" B	ack Pos	st]				23" B	ack Po	st					
	Style	17"	18"	19"	20"	21"	22"	23"	24"	25"		Style	17"	18"	19"	20"	21"	22"	23"	24"	25"	
	Short											Short										
										·		Regular										
										<u>.</u>	_	Regular Tension Adj										
										<u>.</u>												_
Tilt Ac	ctivation																					

	Attendant lift only Select trigg	er mounting loca	tion below.		
2223011	Right Back Post	2223012	Left Back Post		
	User Tilt only Full Length Arm Pag	ds only. Select trie	gger mounting location below.		\$ 100
2223021	Right Armrest	2223022	Left Armrest		
	Attendant & User Tilt Full Leng	gth Arm Pads only	y. Select trigger mounting locations below	Ν.	\$ 195
2223031	Right Back Post	2223032	Left Back Post		
2223041	Right Armrest	2223042	Left Armrest		
2223400	Power Tilt 250 lbs Weight Capacity	/. 30° Anterior to	20° Posterior tilt range. Includes 2 batteri	es for off-chair charging. Minimum Seat Width is 16".	\$ 1,795
	Toggle Switch	2223421	Installed on Right side	2223422 Installed on Left side	
	Button Switch	2223431	Installed on Right side	2223432 Installed on Left side	
	Stealth Egg Switch	2223440	Not installed		
	Optional for Egg Switch:	2223445	Swing Away Mounting Hardware	Not compatible with all Headrest makes and models.	\$ 625
			Specify Headrest to be us	ed:	
	Anterior Tilt Limit Total tilt rang	je is 45°. Posterio	r Tilt equals 45° less the value selected be	slow.	
2223220	Set at 20°	2223225	Set at 25°	2223230 Set at 30°	

Front Rigging

2225000	No Front Rigging		
	Easy-Out TM Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. <u>pdgmobility.com/easy-out</u>		
2225410	Fixed 70°	\$	95
2225420	Universal Angle Adjustable (0°-110°) Set at angle: (use increments of 10°)	\$	295
	Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.		
Footp	ates		
2226010	Composite Footplates		
22260102226020	Composite Footplates Aluminum Angle Adjustable Footplates	\$	165
		\$ \$	165 350
2226020	Aluminum Angle Adjustable Footplates	\$ \$ \$	
2226020 2226030	Aluminum Angle Adjustable Footplates One Piece Fixed Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$ \$ \$ \$	350
 2226020 2226030 2226040 	Aluminum Angle Adjustable Footplates One Piece Fixed Footplate Requires selection of Composite or Aluminum Angle Adjustable. One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$ \$ \$	350 395

rootrest/Legrest Accessories	
2227040 Length Adjustable Heel Loops	\$ 50
2227050 Bodypoint Padded Calf Strap	\$ 195



Order Form - Canada

Prices in Canadian Dollars. January 1, 2024

F r o nt	Rigging Extension Tubes	
	Regular Extension Tubes	
2228010	Short <u>14"-18"</u> for Easy-Out Front Rigging	
2228020	Long <u>18"-24"</u> for Easy-Out Front Rigging	\$ 75
J.	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.	
1	Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.	
	I a n e o u s Options Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	\$ 195
	Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	\$ 195
2230020	Black 2230021 Frame Color	
	Stealth Flip Down Abductor Requires Solid Seat Pan.	\$ 650
2230060	Small Pad 3"x4"x3"x2" size 2230062 Large Pad 5"x5"x4"x3" size	
2230110	IV Pole Not compatible with HD Anti Tipper, Attendant Wheel Locks.	\$ 295
2230120	O2 Holder Not compatible with HD Anti Tipper, Attendant Wheel Locks.	\$ 395
2230200	Q'Straint Lap Belt Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.	\$ 245
2230222	Wheelchair Backpack Black with PDG Logo. 17"x14" size.	\$ 145
2230170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$ 10

On-Chair Seating & Positioning

1

Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating

Order Notes

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.