

### **Order Form - Distributor**

Custo	mer and Order Informa	tion							
Purchase	Order *	Tag				v.	0401		
Dealer/Provider Name *									
Purchase	r Name and Contact Information *								
Shipping	Address *								
User Infoi	rmation ( <i>if available</i> ) Weight	lbs	Height	ft/in		* red	quired		
							,		
Base C	Chair								
	Fuze T50n 50° Manual Tilt Wheel	chair							
2601000	Fuze T50 50° Manual Tilt Wheelchair					\$	4,400		
2601008	Narrow Frame Upgrade Reduces overa	l chair width to seat w	idth plus only 4".			\$	200		
Frame	Type & Weight Capac	ity							
	Fixed Width Frame Select a Fixed S	eat Width below.							
2602010	300 lbs Weight Capacity								
2602011	400 lbs Weight Capacity Not compatib	e with Transit Tie Dow	n System.						
2602025	Adjustable Width Frame 250 lbs	Weight Capacity. Selec	t an Adjustable Seat Width bel	ow.		\$	100		
Frame	Options								
2602222	Take-Apart Frame The Take-Apart f	ame allows attendant	s to take the Euze apart in seco	ands without tools	ndamobility.com/take-apart	\$	600		
	This feature reduces the weight of the heavie					4	000		
	Not compatible with Power Tilt, Drum Brakes	, Ventilator Tray, Venti	ator Battery Tray, DRB, User Wł	heel Locks.					
	Take-Apart rear crossbar is not width adjusta adjustable width frame (can be ordered with								
	-		(E)						
					TA I				
	Fold		Tilt	Take					
		A		ICINC	A DE TOTAL				
				apart					
			Check	the PDG Blog					
	<b>FUZE TA</b>	KE-AP	AR for m	ore details.					
2602300	Transit Tie Down System (TTDS)								
	TTDS includes 4 factory-installed transport by Tested to max. Weight Capacity of 300 lbs.	ackets. TTDS has been	tested according to ANSI/RESI	NA WC 19. See Own	ers Manual for complete details.				
Soot V	Nidth			0					
Seat V		_		Overall chair w	ridth is +4.0" for 12" RW				
	Fixed Seat Widths Order with Fixed	_							
2603016			at Width	2603018	18" Seat Width				
2603019 2603022	19" Seat Width 22" Seat Width	2603020 20" Se	at Width	2603021	21" Seat Width				
2603022		2603024 24" Se	at Width			\$	375		
	Adjustable Seat Widths Order wit	h Adjustable Frame.							
2603216	-	_	" Range - Set at 17"						
2603218	-	2603219 16"-19	" Range - Set at 19"						
2603319	19"-20" Range - Set at 19"	2603320 19"-20	" Range - Set at 20"						



### **Order Form - Distributor**

Seat [	Depth										
	Standard Seat Depths (Adjustable)										
2604015	15" Seat Depth 🛛 26	04016 16" Seat Depth	2604017 17" Seat Depth								
2604018	18" Seat Depth 26	04019 19" Seat Depth	2604020 20" Seat Depth								
	<b>Custom Seat Depths</b> Requires Stroller Handle Back - Straight. Not compatible with Reclining or Fold-down Back.										
2604021	21 21" Seat Depth 🗌 2604022 22" Seat Depth										
Erame	Color										
- T u u u u											
2605001		s on PDG's website. <u>pdgmobility.com/cc</u> <sup>05015</sup> Sky Blue	2605016 Poppy Red								
2605003	_	05010 Lollypop Blue	2005010 FOPpy Red								
2605003	_	05018 Tropical Teal	2605019 Tangerine Orange								
2605020	· _	05021 Lush Lilac	□ 2605012 Bubble Gum Pink								
2605022	Leaf Green		2605014 Daffodil Yellow								
2605200	Custom Color Contact PDG for specifications			\$	300						
	Contact De loi specifications	,		,							
A r m r e	sts										
2606000	No Armrests										
	Height Adjustable Armrests (Single Po	ost)		\$	295						
2606114	10"-14" Range 🗌 26	06116 12"-16" Range									
2606100	Fixed Height Armrests (12") Full Lengt	h Armpad only.									
	Armrest Height If provided, Armrests will be	e set to this height by PDG. If left blank, the d	efault setting will be used.								
-	Seat Pan to top of Armrest: Does not include height of Armpad										
يو	Armrest Position Indicate preference for Armrest position. If left blank, the default setting will be used.										
1	Armrest Position Indicate preference for A	rmrest position. If left blank, the default setti	g will be used.								
1			ig will be used. DG may not be able to accommodate stated preference.								
2606402	In the interest of maintaining chair stabily and avoid Mid 26	ding interferance with other chair functions, F 06403 Front	DG may not be able to accommodate stated preference.								
2606402	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor	DG may not be able to accommodate stated preference.	\$	295						
<ul> <li>2606402</li> <li>2606310</li> </ul>	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme	ding interferance with other chair functions, F 06403 Front	DG may not be able to accommodate stated preference.	\$	295						
	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme Set at 10" 26	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor	DG may not be able to accommodate stated preference.	\$	295						
2606310 2606313	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme Set at 10" 26 Set at 13" 26	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor 06311 Set at 11"	DG may not be able to accommodate stated preference.	\$	295						
2606310	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme Set at 10" 26 Set at 13" 26 Set at 13" 26 Set at 13" 26	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor 06311 Set at 11"	DG may not be able to accommodate stated preference.	\$	295						
2606310 2606313	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme Set at 10" 26 Set at 13" 26 Set at 13" 26 Regular Armpads	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor 06311 Set at 11" 06314 Set at 14"	DG may not be able to accommodate stated preference.	\$	295						
2606310 2606313	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor 06311 Set at 11"	DG may not be able to accommodate stated preference.								
2606310 2606313	In the interest of maintaining chair stabily and avoid Mid 26 Locking Flip-up Armrests Not recomme Set at 10" 26 Set at 13" 26 Set at 13" 26 Ad s Regular Armpads Desk Length - 2" x 10" 26 Waterfall Armpads	ding interferance with other chair functions, F 06403 Front ended for users with excessive strength or tor 06311 Set at 11" 06314 Set at 14" 07101 Full Length - 2" x 14"	DG may not be able to accommodate stated preference.	\$	295						
☐ 2606310 ☐ 2606313 Armpa	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"	DG may not be able to accommodate stated preference.	\$	115						
<ul> <li>2606310</li> <li>2606313</li> <li>Armpa</li> <li>2607100</li> <li>2607105</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad ds Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in	ding interferance with other chair functions, F 206403 Front 206403 Eront 206403 Set at 11" 206311 Set at 11" 206314 Set at 14" 207101 Full Length - 2" x 14" 207106 Full Length - 2" x 14" 207106 Set at 14"	DG may not be able to accommodate stated preference.								
☐ 2606310 ☐ 2606313 Armpa	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 A d S Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07107       Full Length - 2" x 14"         07108       Full Length - 2" x 14"	DG may not be able to accommodate stated preference.	\$	115						
<ul> <li>2606310</li> <li>2606313</li> <li>Armpa</li> <li>2607100</li> <li>2607105</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in a	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07107       Full Length - 2" x 14"         07108       Full Length - 2" x 14"	DG may not be able to accommodate stated preference.	\$	115						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 a d s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in so Full Length - 2" x 12"26	ding interferance with other chair functions, f         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07107       Full Length - 3" x 12"         07111       Full Length - 3" x 12"         07111       Full Length - 3" x 12"	DG may not be able to accommodate stated preference.	\$	115						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in a	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07107       Full Length - 2" x 14"         07108       Full Length - 3" x 12"         07111       Full Length - 3" x 12"         07121       Full Length - 3.5" x 12"	DG may not be able to accommodate stated preference.	\$	115 200 135						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in so Full Length - 3" x 10"26 Contour Arm Trough with Hand Pad Not compatible with Lap Tray, Locking Flip-up Arm	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07107       Full Length - 2" x 14"         07108       Full Length - 3" x 12"         07111       Full Length - 3" x 12"         07121       Full Length - 3.5" x 12"	DG may not be able to accommodate stated preference.	\$	115 200 135						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> <li>2607120</li> <li>2607120</li> <li>2607130</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in so Full Length - 3" x 10"26 Contour Arm Trough with Hand Pad Not compatible with Lap Tray, Locking Flip-up Armr Right (4.5" x 18")26	ding interferance with other chair functions, f 06403 Front ended for users with excessive strength or tor 06311 Set at 11" 06314 Set at 14" 07101 Full Length - 2" x 14" 07106 Full Length - 2" x 14" 07106 Full Length - 2" x 14" 07111 Full Length - 3" x 12" 07121 Full Length - 3.5" x 12" 07121 Full Length - 3.5" x 12" rests. May interfere with wheels in some tilt con-	DG may not be able to accommodate stated preference.	\$	115 200 135						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> <li>2607120</li> <li>2607120</li> <li>2607130</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 A d S Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in so Full Length - 3" x 10"26 Gel Armpads May interfere with wheels in so Full Length - 2" x 12"26 Contour Arm Trough with Hand Pad Not compatible with Lap Tray, Locking Flip-up Arm Right (4.5" x 18")26	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07111       Full Length - 3" x 12"         07121       Full Length - 3.5" x 12"         rests. May interfere with wheels in some tilt contrained in some tilt configurations.         07121       Full Length - 3.5" x 12"	DG may not be able to accommodate stated preference.	\$	115 200 135						
<ul> <li>2606310</li> <li>2606313</li> <li>Armpa</li> <li>2607100</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> <li>2607120</li> <li>2607120</li> <li>2607130</li> <li>Armre</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 Ad s Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in Desk Length - 3" x 10"26 Gel Armpads May interfere with wheels in set Full Length - 3" x 10"26 Contour Arm Trough with Hand Pad Not compatible with Lap Tray, Locking Flip-up Armn Right (4.5" x 18")26 St Options Armrest Wideners Move Armrests outward	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07111       Full Length - 3" x 12"         07121       Full Length - 3.5" x 12"         rests. May interfere with wheels in some tilt contrained in some tilt configurations.         07121       Full Length - 3.5" x 12"	DG may not be able to accommodate stated preference.	\$ \$ \$	115 200 135 125						
<ul> <li>2606310</li> <li>2606313</li> <li>A r m p a</li> <li>2607100</li> <li>2607105</li> <li>2607110</li> <li>2607120</li> <li>2607120</li> <li>2607130</li> </ul>	In the interest of maintaining chair stabily and avoid Mid26 Locking Flip-up Armrests Not recomme Set at 10"26 Set at 13"26 Set at 13"26 A d S Regular Armpads Desk Length - 2" x 10"26 Waterfall Armpads Desk Length - 2" x 10"26 Wide Armpads May interfere with wheels in so Full Length - 3" x 10"26 Gel Armpads May interfere with wheels in so Full Length - 2" x 12"26 Contour Arm Trough with Hand Pad Not compatible with Lap Tray, Locking Flip-up Arm Right (4.5" x 18")26	ding interferance with other chair functions, F         06403       Front         ended for users with excessive strength or tor         06311       Set at 11"         06314       Set at 14"         07101       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07106       Full Length - 2" x 14"         07111       Full Length - 3" x 12"         07121       Full Length - 3.5" x 12"         rests. May interfere with wheels in some tilt contrained in some tilt configurations.         07121       Full Length - 3.5" x 12"	DG may not be able to accommodate stated preference.	\$	115 200 135						



### **Order Form - Distributor**

Seat P	°an		
2608000	No Seat Pan		
2608001	Solid Aluminum Seat Pan	\$	135
Seat H	leight		
Don't	Select desired Seat-to-Floor Height STF Height is adjustable.		
forget	12" Rear Wheels		
	Caster size 16" 17" 18" 19" 20"		
	6"         □         □         □           8"         □         □         □		
	6" Soft Roll		
Caste	rs		
	Urethane Casters		
2611051	5" x 1.25" Caster size 🗌 2611061 6" x 1.25" Caster size 🗌 2611081 8" x 1.25" Caster size		
2611063	6" x 1.50" Caster size	\$	85
2611084	8" x 2.00" Caster size	\$	135
	Pneumatic Casters		
2611161	6" x 1.25" Caster size	\$	110
2611181	8" x 1.25" Caster size	\$	120
2611184	8" x 2.00" Caster size	\$	150
2611260	Frog Legs 6" x 1.50" Aluminum Soft-Roll Casters	\$	275
Rear V	V h e e l s		
2612012	12" Composite Wheels		
×	Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.		
1	In the interest of maintaining chair stabily and avoiding interferance with other chair functions, PDG may not be able to accommodate stated preference.		
2612401	Rear   More stable   2612402   Mid   2612403   Front   Less stable		
Axle T	уре		
2613000	Quick Release Rear Axles		
2613010	Fixed Rear Axles		
Door J			
Rear T			
2614000	Urethane Tires		
2614010	Pneumatic Tires May result in a finished Seat Height 1/2" greater than stated.	\$	60
2614020	<b>Pneumatic Tires with Flat-Free Inserts</b> May result in a finished Seat Height 1/2" greater than stated.	\$	95
Handr	i m s		
2615000	No Handrims		
Wheel	Locks & Brakes		
wheel		ć	150
	User Wheel Locks Not compatible with Take-Apart Frame.	\$	150
2616010 2616030	Push to Lock 2616020 Pull to Lock Attendant Wheel Locks (Push to Lock)		
2616030	Foot Operated Wheel Locks (Push to Lock) Rear-mounted unilateral single-activation lock. Not compatible with Ventilator Tray.	\$	595
2616300	Drum Brakes         Available with Urethane Tires only. Compatible with 17.5", 18.5", 19.5" STF Height only.	ې ډ	995
	User-activated Unilateral Wheel Lock Pull to Lock. Available up to 22" Seat Width only.	\$ \$	995
2616310	Left Activation 2616311 Right Activation	Ŷ	



#### **Order Form - Distributor**

Prices in Canadian Dollars. January 1, 2024

\$

60

2616100 Wheel Lock Extensions

Anti-T	ippers																		
2617010	<b>Rear Anti-Tippers</b>	Require	d Safety Opt	ion.														\$	75
Back P	k Posts																		
	Back Post Style																		
2618100	Stroller Handle Back			2618105	Cane	Handle	e Back	Not co	ompatik	ole with He	adrest Mo	ounting	Plate.						
	<ul> <li>Stroller Handle Back</li> <li>2618105</li> <li>Cane Handle Back</li> <li>Not compatible with Headrest Mounting Plate.</li> <li>Back Post Type</li> </ul>																		
2618200																			
	Back Post Height Measured from the Seat Pan to the Handle.																		
2618420	Short (17")			2618425	Tall (2	23")													
	<b>Back Post Folding</b>	Fold-dc	own Back is n	not compa	tible wit	h Dynar	nic Rock	er Back	Interfac	e, Reclining	g Backrest								
2619220	Fold-down			2619221	Non-	folding	I												
	Seat to Back Angle	1																	
2619090	Set at 90°			2619096	Set at	t 98°					2619102	Set a	at 106°						
2619108	Set at 114°			2619114	Set at	: 122°													
Back C	)ptions																		
	Angle/Height Adju	stable '	Stroller H	landlo	Not co	mpatibl	lo with H	aadrost	Mount	ing Plate o	r Cano Hai	ndlo Ba	ck					\$	150
2619010	Button on Outside	stable.		2619011		n on In		eaurest	wount	ing riate of		nule ba	CK.					Ý	150
2619050	Removable Cane H	landle [						ndle Ba	-k									\$	140
	Endomorph Back									elow Minii	mum widt	th of Ba	ckrest i	s 12"				\$	395
2618102	1" Offset per side	Dackiest		2618103				inset sei			2618104							Ŷ	575
2619212	Headrest Mounting	a Plate						ole Strol	ler Han						ntina to a	a solid Back		\$	95
2619240	Seating Dynamics						,											Ś	2,995
	Not compatible with Take						ndard Up	holster	y. Only a	availabe wi	th Stroller	Handl	e - 8° Be	end.				•	_,
	Finished Back Post Height	: is 7" talle	r than select	ed Back Po	ost Heig	ht. Maxi	mim cor	npative	Seat De	epth is 20".	90° and 9	8° Seat	Angle	only.					
Back L	Jpholstery																		
2620000	No Back Upholster	у																	
	Standard Upholste	ery Not	t available w	ith Cane H	andle Ba	ack.												\$	265
2620418	Short (18" Height)			2620421	Regu	lar (21"	' Height	t)											
2620450	Tension Adjustable	e Uphol	<b>lstery</b> н	eight of U	oholster	y is 16".	Not ava	ilable w	ith Cane	e Handle Ba	ack.							\$	365
	Position of Uphols	<b>tery</b> s	elect the de	sired posit	ion of th	e top of	f the Upl	nolstery	relative	e to the Sea	it Pan.								
	17" Back Post 23" Back Post																		
	Style 17"	18"	19" 20	" 21"	22"	23"	24"	25"		Sty	le	17"	18"	19"	20"	21" 22"	23"	24"	25"
	Short 🗌									Sho									
										Regu Tensio									
Tilt Ad	tivation																		
	Attendant Tilt only	Select	trigger mou	unting loca	tion bel	ow.													
2623011	Right Back Post			2623012			st												
																See next p	age for r	nore opt	ions >




#### **Order Form - Distributor**

	Power Tilt 40° tilt range. Includes 2 batteries for off-chair charging. pdgmobility.com/power-tilt									
2623400										
2623401	1 Standard Power Tilt (350 lbs Weight Capacity) Requires Fixed Frame.									
2623410	Power Tilt with Manual Tilt Override (250 lbs Weight Capacity) Allows for instant manual release of tilt in case of power tilt failure.	\$	2,695							
2623411										
	Toggle Switch 🛛 2623421 Installed on Right side 🗌 2623422 Installed on Left side									
Select										
Control										
Switch	Optional for Egg Switch: 2623445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models.	\$	625							
	Specify Headrest to be used:	Ý	025							
	Tilt Limit Optional. If no tilt limit is selected, the full tilt range will be available.									
2623220	Set at 20°									
Reclir	ne									
2623310	Reclining Backrest (Manual)	Ş	895							
_	30° maximum recline. Not compatible with Cane Handle Back, Fold-down Back. Not available with 22" Seat Depth.									
	Finished Back Post Height is 3" taller than selected Back Post Height.									
Front										
Front	Rigging									
2625000	No Front Rigging 🛛 2625001 Sector Blocks only									
	Easy-Out <sup>TM</sup> Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/easy-out									
2625410	Fixed 70°	\$	95							
2625420	Universal Angle Adjustable (0°-110°) Set at angle: (use increments of 10°)	\$	295							
	Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.									
	Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out. Requires pre-tilt of 5°.									
2625130	Swing Away 60° 🛛 2625140 Swing Away 70°									
2625160	<sup>60</sup> Swing Away 90° Includes 11"-16" Extension Tubes. Not compatible with 8" Casters.									
2625200	<sup>100</sup> Swing Away Elevating Legrests Includes Calf Pads.									
2625300										
2625110										
Footp	lates									
2626010	Composite Footplates									
2626020		\$	165							
_	Aluminum Angle Adjustable Footplates									
2626030	<b>One Piece Fixed Footplate</b> Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable.	\$	350							
2626040	One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.									
2626050	Interlocking Angle Adjustable Footplates Available for Seat Widths up to 21" only.									
Footr	est/Legrest Accessories									
	Calf Pad Not compatible with Gel Padding.									
2627012	<sup>2</sup> For Easy-Out <sup>TM</sup> Front Rigging Includes reinforced premium Calf Pad mount.									
2627010	For Swing Away Front Rigging	\$	135							
2627020	Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging.	\$	125							
	Gel Knee Pad									
2627032	For Easy-Out <sup>TM</sup> Angle Adjustable Front Rigging	\$	200							
2627032	For Swing Away ELR Front Rigging	\$	100							
_		\$	50							
2627050	Bodypoint Padded Calf Strap Sizes greater than 22" are not padded.	\$	195							



### **Order Form - Distributor**

Prices in Canadian Dollars. January 1, 2024



Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating

#### Order Notes

Please send your completed order form by email to info@pdgmobility.com.