

Order Form - Distributor

Custo	mer and Order Information					
Custo	mer and Order Information					
Purchase	Order *	Tag			v.0	0401
Dealer/Pr	ovider Name *					
Purchase	r Name and Contact Information *					
Shipping	Address *					
			c. <i>(</i> :			
User Infoi	rmation (<i>if available</i>) Weight	lbs Height1	ft/in		* req	uired
Base (Chair					
	Stellar LEAP Manual Posterior & Anterior 1	Filt Wheelchair Extened lead times m	nay apply.			
2201000	Stellar GL Manual Wheelchair with 20° Posterior Til		, , , ,		\$ 4	4,400
2201101	25° Anterior Tilt with Linked Back 30° Anterior Tilt	available with reduced Posterior Tilt range of	15°.		\$	100
2201102	30° Dynamic Back Recline	-			\$	895
Weigh	t Capacity					
	250 lbs Chair Weight Capacity					
2202000	230 lb3 Chair Weight Capacity					
Frame	Options					
2202300	Transit Tie Down System (TTDS)					
	TTDS includes 4 factory-installed transport brackets. TTDS	has been tested according to ANSI/RESNA V	VC 19. See Own	ers Manual for complete details.		
Seat V		has been tested according to ANSI/RESNA V		ers Manual for complete details. idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW		
Seat V		has been tested according to ANSI/RESNA V				
Seat V	Vidth	has been tested according to ANSI/RESNA V				
	Vidth Standard Seat Widths		Overall chair w	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW		
2203014 2203017	Vidth Standard Seat Widths 14" Seat Width 2203015	15" Seat Width	Overall chair w	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width		
2203014 2203017	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width	Overall chair w 2203016 2203019	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width		
2203014 2203017 2203020	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width	Overall chair w 2203016 2203019	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width		
2203014 2203017 2203020 Seat D	Vidth Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width		
2203014 2203017 2203020 Seat D	Vidth Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width		
2203014 2203017 2203020 Seat D	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width		
2203014 2203017 2203020 Seat D	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 2204021	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 2204021	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 2204021	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth	Overall chair w 2203016 2203019 2203022	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 Frame	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth 22" Seat Depth	Overall chair w	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 Frame 2204021	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth 22" Seat Depth	Overall chair w 2203016 2203019 2203022 2204018	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width 18" Seat Depth	\$	400
2203014 2203017 2203020 Seat D 2204016 2204019 2204021 Frame	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth 22" Seat Depth DG's website. pdgmobility.com/colors Sky Blue Lollypop Blue Tropical Teal Lush Lilac	Overall chair w 2203016 2203019 2203022 2204018	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width 18" Seat Depth Poppy Red Lollypop Red	\$	400
2203014 2203017 2203020 Seat D 2204019 Frame 2205001 22050017 2205017 2205017	Standard Seat Widths 14" Seat Width	15" Seat Width 18" Seat Width 21" Seat Width 17" Seat Depth 20" Seat Depth 22" Seat Depth DG's website. pdgmobility.com/colors Sky Blue Lollypop Blue Tropical Teal	Overall chair w 2203016 2203019 2203022 2204018 2205016 2205011 2205019	idth is +9.5" for 12/16" RW and +10.5" for 20/22/24" RW 16" Seat Width 19" Seat Width 22" Seat Width 18" Seat Depth Poppy Red Lollypop Red Tangerine Orange	\$	400



Order Form - Distributor

Armre	sts								
2206000	No Armrests								
	Single Post Height Adjustable Armrests								
2206111	8"-11" Range								
	Dual Post Height Adjustable Armrests								
2206211	8"-11" Range	2206214	10"-14" Range	2206216	12"-16" Range				
	Fixed Height Armrests (12") Full Length Armpad only.								
2206100	Single Post	2206200	Dual Post						
<i>S</i>	Armrest Height If provided, Armr	rests will be set to	o this height by PDG. If left blank, the defaul	It setting will be	used.				
*	Seat Pan to top of Armrest:		Does not include height of Armpad						
-	Armrest Position Indicate prefer	ence for Armrest	t position. If left blank, the default setting wi	ill be used.					
7	-		nterferance with other chair functions, PDG r	·					
2206401	Rear	2206402		2206403	Front		205		
	Locking Flip-up Not recommend		n excessive strength or tone. ack Upholstery. Available with Full Length a	and Dock Length	Armande	\$	295		
		_		_					
2206310 2206313	Set at 10"	2206311 2206314		2206312	Set at 12"				
	Set at 13		Set at 14						
Armpa	d s								
	Regular Armpads								
2207100	Desk Length - 2" x 10"	2207101	Full Length - 2" x 14"						
	Waterfall Armpads					\$	115		
2207105	Desk Length - 2" x 10"	2207106	Full Length - 2" x 14"						
	Wide Armpads May interfere with	n wheels in some	tilt configurations.			\$	200		
2207110	Desk Length - 3" x 10"	2207111	Full Length - 3" x 12"						
	Gel Armpads May interfere with w	vheels in some til	t configurations.			\$	135		
2207120	Full Length - 2" x 12"	2207121	Full Length - 3.5" x 12"						
	Contour Arm Trough with Han	ıd Pad May	interfere with wheels in some tilt configurat	tions.		\$	125		
2207130	Right (4.5" x 18")	2207131	Left (4.5" x 18")						
Armre	st Options								
Alline	•								
		ts outward by up	p to 1" on each side. Seat size does not chan	ige. May cause til	t interference.	¢	٥٢		
2207210	1" Total Additional Width 2" Total Additional Width					\$ \$	95		
L 220/211		- ···ith Elip up Arı					195		
2207310	Clothing Guards Not compatible					\$	110		
2207310	For Single Post Armrests Not compa For Dual Post Armrests	atible with 6 - i i	Height range.			\$	165		
		atible with Flip-ur	p Armrests, Desk Length Armpads.			\$	75		
2207400	3" Extension - Forward		3" Extension - Rearward			*			
			J Extension Reality						
Seat P	a n								
2208000	No Seat Pan								
2208001	Solid Aluminum Seat Pan					\$	135		



Order Form - Distributor

	_	_		_	_	_	_	_		_	_	_	_	_				
Seat H	leig	h t																
> Don't forget	Select desired Seat-to-Floor Height STF Height is adjustable within the range of the chosen Subframe Plate (Low/High).																	
					Low							High						
		RW	13"	14"	15"	16"	17"	18"	RW	15"	16"	17"	18"	19"	20"			
	ters	12"							12"									
	6" Casters	16"		<u> </u>					16"									
	.9	20"					<u> </u>	<u> </u>	20"									
		22"						<u> </u>	22"	_					<u> </u>			
		24"							24"	Щ.						l		
					Low							High				I		
	Casters	RW	13"	14"	15"	16"	17"	18"	RW	15"	16"	17"	18"	19"	20"			
	Cas	16"	15						16"	15	10							
	-∞	24"		-					24"		_							
						<u> </u>	<u> </u>	-	_	_			=	<u> </u>		<u>'</u>		
Caster	r s																	
	Uret	hane (Caster	r s 8"(Casters a	are com	patible (only wit	th 16″ an	nd 24" R	ear Whe	els.						
2211061			ster size			_	_		3" x 1.25									
2211063	6" x 1	.50" Ca	ster size	æ													\$	85
2211084			ister size														\$	135
ZZ1100-																	٠,	133
l_			c Caste		' Casters	are cor	npatible	e only w	with 16″ a	and 24"	Rear Wh	eels.					,	
2211161	6" x 1.	.25" Ca	ster size	e													\$	110
2211181	8" x 1.	.25" Ca	aster size	e													\$	120
2211184	8" x 2	.00" Ca	ster siz	.e													\$	150
2211260	Frog	Legs	6" x 1.	.50" A	lumin	um Sc	oft-Ro	II Cas	ters								\$	275
2211400	2211400 Frog Legs Suspension Forks Only compatible with 16 and 24" Rear Wheels. Requires 6" Soft-Roll Caster.									\$	695							
Rear V	Vh e €	e I s																
	Com	posite	e Whee	els														
2212012	12" W	/heel siz	ze				2212	.016 1	16" Whe	el size					2212020	20" Wheel size		
2212022	22" W	/heel siz	.ze				22120	.024 2	24" Whe	eel size								
	Spok	ke Wh	eels														\$	75
2212120	20" W	/heel si	ze			Γ] 2212	122 2	22" Whe	eel size	Į.				2212124	4 24" Wheel size		
2212224	24" ŀ	leavy	Duty	Spoke	e Whe	els											\$	350
<u> </u>							Wheel pr	ositioni	na prefe	rence. If	f left bla	nk. the d	lefault s	etting v	vill be use	 ed		
3																e to accommodate stated preference.		
2212401	Rear		•			_	22124	_		****		• • • • • • • • • • • • • • • • • • • •	12,			3 Front		
			_	_	_	<u> </u>	_	_			_	_						
Axle T	уре																	
2213000	Quic	k Rele	ease Re	ear Ax	des													
2213010	Fixe	d Rear	r Axles	5														
	_	_		_	_	_				_	_	_	_					
Rear T	ires																	
2214000	Uret	hane 1	Tires															
2214010	Pneu	ımatic	c Tires	May	result ir	n a finisł	ned Seat	t Heigh	it 1/2" gre	eater th	an state	d.					\$	60
2214020	Pneı	ımatic	c Tires	with !	Flat-Fr	ree In	serts	May r	esult in	a finishe	ed Seat F	leight 1	/2″ grea	ter than	stated. I	Not available with Spoke Wheels.	\$	95



Order Form - Distributor

ll a a al a						
Handr						
2215000	No Handrims					
2215010	Standard Handrims					
2215020	Plastic Coated Handrims Not compatible with Drum Brakes.	\$	150			
2215030	Projection Handrims Composite Wheels only. 10 Projections, 30°, 1-1.8" Length.					
Wheel	Locks & Brakes					
	User Wheel Locks					
2216010	Push to Lock					
2216030	Attendant Wheel Locks (Push to Lock)	\$	85			
_	User & Attendant Wheel Locks Not compatible with Drum Brakes.	\$	125			
_						
2216300	Drum Brakes Available with 12" Composite or 20" Spoke Rear Wheels. Urethane Tires only.	\$	995			
	User-activated Unilateral Wheel Lock Pull to Lock.	\$	995			
2216310	Left Activation 2216311 Right Activation					
Wheel	Lock Options					
2216100	Wheel Lock Extensions Not compatible with Attendant Wheel Lock.	\$	60			
2216200	Hill Holders Requires Pneumatic Rear Tires with Flat-Free Inserts.	\$	450			
	The state of the s					
Anti-T	ippers					
2217010	Rear Anti-Tippers Required Safety Option.	\$	75			
2217020	Front Anti-Tippers	\$	795			
2217030	Heavy Duty Rear Anti-Tippers Provide additional rearward stability for users with excessive movement.	\$	895			
	Not compatible with Attendant Wheel Locks, IV Pole, O2 Holder.					
Back P	Posts					
Dacki						
	Back Post Style					
2218010	Stroller Handle Back					
	Back Post Height Measured from the Seat Pan to the Handle.					
2218420	Short (17")					
	Back Post Folding Fold-down Back is not compatible with Dynamic Rocker Back Interface, Reclining Backrest.					
2219220	Fold-down 2119221 Non-folding					
	Seat to Back Angle					
2219090	Set at 90°					
2219114	Set at 114°	—				
Back C	Options					
	Angle/Height Adjustable Stroller Handle Not compatible with Headrest Mounting Plate or Cane Handle Back.	\$	150			
2219010	Button on Outside 2219011 Button on Inside					
	Endomorph Back Backrest will be narrower than Seat by total of 2x the Offset selected below. Minimum width of Backrest is 12".	\$	395			
2218102	1" Offset per side	•				
2219210	10" Backrest Extension Not compatible with Angle/Height Adjustable Stroller Handle.	\$	195			
2219212	Headrest Mounting Plate	\$	95			
	Not compatible with Backrest Extension, Angle/Height Adjustable Stroller Handle, Cane Handle Back. Not required if mounting to a solid Back.	¥	,,			



Order Form - Distributor

Back l	Jpholstery										
2220000	No Back Upholstery										
	Standard Upholstery Not available with Cane Handle Back.	\$	265								
2220418	Short (18" Height) 2220421 Regular (21" Height)										
2220450	Tension Adjustable Upholstery Height of Upholstery is 16". Not available with Cane Handle Back.	\$	365								
	Position of Upholstery Select the desired position of the Upholstery relative to the Seat Pan.										
	17" Back Post 23" Back Post										
	Style 17" 18" 19" 20" 21" 22" 23" 24" 25" Style 17" 18" 19" 20" 21" 22" 23" 24"	' 2	25"								
	Short	+	_								
	Tension Adj										
Tilt A	ctivation										
	Attendant Tilt only Select trigger mounting location below.										
2223011	Right Back Post 2223012 Left Back Post										
	User Tilt only Full Length Arm Pads only. Select trigger mounting location below.	\$	100								
2223021	Right Armrest 2223022 Left Armrest										
	Attendant & User Tilt Full Length Arm Pads only. Select trigger mounting locations below.	\$	195								
2223031	Right Back Post 2223032 Left Back Post										
2223041	Right Armrest 2223042 Left Armrest										
2223400	Power Tilt 250 lbs Weight Capacity. 30° Anterior to 20° Posterior tilt range. Includes 2 batteries for off-chair charging. Minimum Seat Width is 16".	\$ 2	2,095								
	Toggle Switch 2223421 Installed on Right side 2223422 Installed on Left side										
	Button Switch										
	Optional for Egg Switch: 2223445 Swing Away Mounting Hardware Not compatible with all Headrest makes and models.	\$	625								
	Specify Headrest to be used:										
	Anterior Tilt Limit Total tilt range is 45°. Posterior Tilt equals 45° less the value selected below.										
2223220	Set at 20° □ 2223225 Set at 25° □ 2223230 Set at 30°										
Eront	Disains										
	Rigging										
2225000	No Front Rigging										
	Easy-Out ** Front Rigging		0.5								
2225410	Fixed 70° Universal Angle Adjustable (0°-110°) Set at angle: (use increments of 10°)	\$ \$	95 295								
2223420	Universal Angle Adjustable (0°-110°) Set at angle: (use increments of 10°) Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.	J	293								
Faato											
Footp											
2226010	Composite Footplates										
2226020	Aluminum Angle Adjustable Footplates	\$	165								
2226030	One Piece Fixed Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$	350								
2226040	One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$	395								
2226050	Interlocking Angle Adjustable Footplates Available for Seat Widths up to 21" only.	\$	195								
Footre	est/Legrest Accessories										
2227040	Length Adjustable Heel Loops	\$	50								
2227040	Bodypoint Padded Calf Strap	\$	195								
I L 2227030	Doughour I added can stup	~									



Order Form - Distributor

Prices in Canadian Dollars. January 1, 2024

Front	Rigging Extension Tubes	
	Regular Extension Tubes	
2228010	Short 14"-18" for Easy-Out Front Rigging	
2228020	Long 18"-24" for Easy-Out Front Rigging	\$ 75
<i>\$</i>	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.	
3	Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.	
Misce	llaneous Options	
	Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	\$ 235
2230020	Black 2230021 Frame Color	
	Stealth Flip Down Abductor Requires Solid Seat Pan.	\$ 825
2230060	Small Pad 3"x4"x3"x2" size ☐ 2230062 Large Pad 5"x5"x4"x3" size	
2230110	IV Pole Not compatible with HD Anti Tipper, Attendant Wheel Locks.	\$ 345
2230120	O2 Holder Not compatible with HD Anti Tipper, Attendant Wheel Locks.	\$ 495
2230200	Q'Straint Lap Belt Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.	\$ 295
2230222	Wheelchair Backpack Black with PDG Logo. 17"x14" size.	\$ 165
2230170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$ 10
0 61		
On-Ch	air Seating & Positioning	
(i)	Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating	
Order	Notes	
-0.4.01		

Please send your completed order form by email to info@pdgmobility.com.