







Customer and	d Order Information					
Purchase Order *		Tag				v.0401
Dealer/Provider Nam	e *					
Purchaser Name and	Contact Information *					
Shipping Address *						
User Information (if a	vailable) Weight	Ibs Height	ft/in			* required
Base Chair						
☑ 1701000 Fuze JR 50	0° Pediatric Manual Tilt Wheelch	air			E1233	\$ 3,150
Frame Type &	Weight Capacity					
	e/Growing Width Frame 250 lbs	Weight Capacity.				
France Ontion						
Frame Option						
	rt Frame The Take-Apart frame allows educes the weight of the heaviest piece of t					\$ 500
Take-Apart re	ar crossbar is not width adjustable. PDG wil	provide one no-charge crossba	or in a different width over the		1	
adjustable wi	dth frame (can be ordered with the chair or	later). Not compatible with Dru	m Brakes, Power Tilt.			
	Fold A	of tilt	Take			
			an and	To-To-To-To-To-To-To-To-To-To-To-To-To-T		
2			apar i			
	<b>FUZE TAKE</b>	-APART	Check the PDG Blog for more details.			
			for more details.			
☐ 1702300 Transit Tie	Down System (TTDS)					
TTDS include	s 4 factory-installed transport brackets. TTD:	S has been tested according to	ANSI/RESNA WC 19. See Owne	ers Manual for complete details.		
Seat Width			Overall chair w	idth is +7.5" for 12/16" RW and +8.5	5" for 20/22/24" RW	
Adjustabl	e Seat Widths					
☐ 1703112 <b>12"-15" Ran</b>	ge - Set at 12" 🔲 1703113	12"-15" Range - Set at 13	1703114	12"-15" Range - Set at 14"		
☐ 1703115 <b>12"-15" Ran</b>	ge - Set at 15"					
☐ 1703215 <b>15"-18" Ra</b> n	ge - Set at 15" 🔲 1703216	15"-18" Range - Set at 16	1703217	15"-18" Range - Set at 17"		
☐ 1703218 <b>15"-18" Ran</b>	ge - Set at 18"					
Seat Depth						
Standard	Seat Depths (Adjustable)					
☐ 1704013 13" Seat De	oth 🔲 1704014	14" Seat Depth	1704015	15" Seat Depth		
☐ 1704016 <b>16"</b> Seat De	oth 1704017	17" Seat Depth	1704018	18" Seat Depth		
Frame Color						
	ium Colors View color swatches on F	DG's website. pdgmobility	.com/colors			
☐ 1705001 Black Shimr	<u>_</u>		1705016	Poppy Red		
☐ 1705003 Fine Texture	e Black	Lollypop Blue	1705011	Lollypop Red		
☐ 1705017 Arctic Grey	1705018	Tropical Teal	1705019	Tangerine Orange		

See next page for more options >









1705020	Olive Green				Г	17050	021 <b>I</b>	ush Lila				П	1705012	Ruh	ble Gu	ım Pink				
1705022	Leaf Green				Г				erry Purple			_	1705014		fodil Ye					
	Custom Co	lor c	ontact F	PDG for	specifica	ations.			, , , ,							-				\$ 300
					-р															
Armre	sts																			
1706000	No Armrest	ts																		
1706111	Height Adj	ustab	le Arn	nrests	(Sing	le Pos	s <b>t)</b> 8'	"-11" Ran	ge.										E0973	\$ 345
£	Armrest He	ight	If prov	ided, A	rmrests	will be s	et to th	is height	by PDG. If left	blank, th	ne defau	lt settin	g will be	used.						
3	Seat Pan to to	p of A	rmrest:	:	_		D	oes not i	nclude height	of Armp	ad									
	Locking Fli	p-up	Armre	sts	Not reco	mmeno	ded for	users wit	h excessive str	ength or	tone. N	ot comp	oatible w	ith Fol	d-down	Back.			E0973	\$ 345
1706308	Set at 8"					1706	309 S	et at 9"												
1706310	Set at 10"					1706	311 S	et at 11'	1											
Armpa	n d c																			
ATIII pa																				
	Regular Arı	-			_	,														
1707100	Desk Length				L	1707	101 F	ull Leng	th - 2" x 14"											 
	Waterfall A				_	,														\$ 115
1707105	Desk Length								th - 2" x 14"											 200
	Wide Armp			terfere v																\$ 200
1707110				ć i.					th - 3" x 12"											 125
<b>1707120</b>	<b>Gel Armpa</b> Full Length -			rere wit					ons. th - 3.5" x 12	<b>,</b> "										\$ 135
☐ 1707120	ruii Length -	Z X 1 Z				] 1707	IZI F	uli Leng	III - 3.5 X 12	5										
Armre	st Optio	n s																		
	Armrest Wi	dene	rs Mo	ove Arm	nrests ou	ıtward b	y up to	1" on ea	ch side. Seat s	ize does	not chai	nge.								
1707210	1" Total Addit	tional \	Width																	\$ 95
1707211	2" Total Addit	tional \	Width																	\$ 195
Seat P	) a n																			
		_																		
1708000	No Seat Pa		C 4 F																	
1708001	Solid Alum	inum	Seat F	'an															E2231	\$ 165
Seat H	leight																			
Don't	Select desi	red Se	eat-to-	Floor	Heigl	<b>ht</b> ST	TF Heigh	nt is adjus	stable.											
forget				' Caste								5" Cast	ers & 8	" Forks	c					
	RW <b>13</b> "	14"	15"		17"	18"	19"	20"	RW	13"	14"	15"	16"		18"	19"	20"			
	12"								12"											
	16" 20"								16" 20"											
	20"								20"											
	24"								24"											
			c" C	ore n	5 11 F 2l							o" C	0 rc 0 C	" Faul				1		
	RW 13"	14"	6" Cast <b>15</b> "	ers & 6 <b>16</b> "	5" Forks 17"	18"	19"	20"	RW	13"	14"	3" Cast <b>15</b> "	ers & 8 <b>16</b> "	" Forks 17"	18"	19"	20"			
	12"								12"				-							
	16"								16"					_						
	20"								20"											
ı	44																_			
	24"								24"											ļ









MO	FUZEJK	Prices in U.S. Dollars. Janua	ary 1, 2024
Caster	rs		
	Urethane Casters		
<b>1711051</b>		c 1.25" Caster size	
		c 1,25 custor size	85
	Pneumatic Casters		
<b>1711161</b>		E2214 & E2215	110
		E2214 & E2215	
T 1711184	8" x 2.00" Caster size	E2214 & E2215	150
Rear V	Wheels		
	Composite Wheels		
T712012		Wheel size	
_	Spoke Wheels		75
T712120	· _		
	Rear Wheel Position Indicate Rear Wheel positioning preference. If left blank, the default setting will be used.		
3	In the interest of maintaining chair stabily and avoiding interferance with other chair functions, PDG may not be able to according to the control of the co	ommodate stated preference.	
1712401			
Avla T	Tuna		
Axle T			
1713000			
1713010	Fixed Rear Axles		
Rear T	Tires		
1714000	Urethane Tires		
1714010	Pneumatic Tires May result in a finished Seat Height 1/2" greater than stated.	E2211 & E2212	60
1714020	Pneumatic Tires with Flat-Free Inserts May result in a finished Seat Height 1/2" greater than stated. Not available	ilable with Spoke Wheels. E2211 & E2213	95
Handr	r i m s Handrims are available o	nly with 20", 22", and 24" Rear Wheels.	
	No Handrims		
1715010			
			150
1715020		<u> </u>	
1715030	Projection Handrims Composite Wheels only. 10 Projections, 30°, 1-1.8" Length.	\$	495
Wheel	l Locks		
	User Wheel Locks		
1716010	Push to Lock		
1716030	Attendant Wheel Locks (Push to Lock) Not compatible with Wheel Lock Extensions.	\$	85
1716005	Foot Operated Wheel Lock Rear-mounted unilateral single-activation lock. Compatible with 19" and 20" STF He	gight only.	5 595
1716300	<b>Drum Brakes</b> Available with 12" Composite or 20" Spoke Rear Wheels. Urethane Tires only.	E2228 \$	795
	12" Wheels compatible with 13", 14", 17.5", 18.5", 19.5" STF Height only. 20" Wheels compatible with 16", 17", 18" STF Heigh	·	
	User-activated Unilateral Wheel Lock Pull to Lock.	Ş	795
1716310	Left Activation   1716311 Right Activation		
Wheel	l Lock Options		
1716100	Wheel Lock Extensions Not compatible with Attendant Wheel Lock.	E0961 S	80
	· · · · · · · · · · · · · · · · · · ·		

Anti-Tippers			
<b>▼</b> 1717010 <b>Rear Anti-Tippers</b>	Required Safety Option.	E0971	\$ 125









Back F	Posts					
	Back Post Style					
1718100	·					
	Back Post Type					
1718200	□ 1718205 8° Bend					
	Back Post Height Measured from the Seat Pan to the Handle.					
1718420	_					
	Back Post Folding Fold-down Back is not compatible with Reclining Backrest.					
1719220						
	Seat to Back Angle					
1719090	_	5°				
1719108	D8 Set at 114°					
Back (	Options					
	Angle/Height Adjustable Stroller Handle Not compatible with Headrest Mounting Plate or Cane Handle Back.		\$	150		
1719010	Button on Outside					
1719050	Removable Cane Handle Push Bar Not compatible with Stroller Handle Back.		\$	140		
1719212	12 Headrest Mounting Plate		\$	95		
	Not compatible with Angle/Height Adjustable Stroller Handle, Cane Handle Back. Not required if mounting to a solid Back.					
Tilt A	Activation					
1116 /						
	Attendant Tilt only Select trigger mounting location below.					
1723011	5					
1723400		E1002	\$	2,295		
Select	33	on Left side				
> Control	rol	on Left side				
Switch	_	51020	ċ	625		
	Optional for Egg Switch: 1723445 Swing Away Mounting Hardware Not compatible with all Head  Specify Headrest to be used:	lrest makes and models. E1028	\$	625		
	Tilt Limit Optional. If no tilt limit is selected, the full tilt range will be available.					
1723220	_ ` `					
Reclin	ine					
1723310	Reclining Backrest (Manual)	E1225	\$	895		
	30° maximum recline. Not compatible with Cane Handle Back, Fold-down Back, Requires 23" Angle/Height Adjustable Stroller Han	ndle with 8° Bend.				
	Not available with 15" or 16" Seat Depth.			-		
Front	t Rigging					
1725000	No Front Rigging 🔲 1725001 Sector Blocks only					
	Easy-Out Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. pdgmobility.com/e	easy-out				
1725410		<del>,</del>	\$	95		
1725420			\$	295		
	Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° setting	gs.				
	Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out.					
1725130	Swing Away 60°					
1725160	50 Swing Away 90° Adjustable down to 3.5" Leg Length. Includes 11"-16" Extension Tubes. Not compatible with 8" Casters.					
1725200	Swing Away Elevating Legrests Includes Calf Pads. Not compatible with 12" or 13" Seat Width.	E0990	\$	415		
1725300	1" Offset Hangers for Swing Away		\$	75		
1725110	Standard Plug In 70° Front Rigging Legacy Design. Not compatible with Easy-Out.					





Footp	lates		
1726010	Composite Footplates Not available on 12" Seat Width.		
1726020	Aluminum Angle Adjustable Footplates K0040	\$	200
1726030	One Piece Fixed Footplate Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable.	\$	350
1726040	One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.	\$	395
1726050	Interlocking Angle Adjustable Footplates K0040	\$	200
Footre	est/Legrest Accessories		
	Calf Pad   Not compatible with Gel Padding.		
1727012	For Easy-Out <sup>TM</sup> Front Rigging Includes reinforced premium Calf Pad mount.	\$	200
1727010	For Swing Away Front Rigging	\$	135
1727020	Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging.	\$	125
	Gel Knee Pad		
1727032	For Easy-Out <sup>™</sup> Angle Adjustable Front Rigging	\$	200
1727030	For Swing Away ELR Front Rigging	\$	100
1727040	Length Adjustable Heel Loops E0951	\$	50
1727050	Bodypoint Padded Calf Strap K0038	\$	195
Front	Rigging Extension Tubes		
	Regular Extension Tubes No selection required for 90° Front Rigging.		
1728010 1728020	Short 14"-18" for Easy-Out Front Rigging 13"-17" for Swing Away and Standard Plug In Front Rigging	\$	75
1728020	Long 18"-24" for Easy-Out Front Rigging 15"-19" for Swing Away and Standard Plug In Front Rigging	•	/3
1	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.		
	Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.		
Misce	laneous Options		
			105
	Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	\$	195
1730020			
	Stealth Flip Down Abductor Requires Solid Seat Pan.	\$	650
1730060	Small Pad 3"x4"x3"x2" size		
1730090	<b>Hip Belt Mount</b> Provides improved mounting options for Bodypoint Hip Belt or other third-party belts.	\$	55
1730160	Clear Lap Tray (Slide On) Available for Seat Widths of 17"-18" only. Not compatible with Contour Arm Trough.	\$	490
1730200	<b>Q'Straint Lap Belt</b> Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.	\$	245
1730222	Wheelchair Backpack Black with PDG Logo. 17"x14" size.	\$	145
1730170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.	\$	10
On-Ch	air Seating & Positioning		
	-		
1	Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating		
Order	Notes		

HCPCS codes provided are based on code verification by PDAC or PDG's interpretation of existing code definitions. Use of HCPCS codes does not guarantee coverage or payment.

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.