

1605022 Leaf Green

□ 1605200 **Custom Color** Contact PDG for specifications.

FUZE T20

С									
	ustoi	mer and Order Ir	nformation					_	
Р	urchase	Order *		Tag				v.(0401
D	ealer/Pr	ovider Name *		- -					
P	urchaser	r Name and Contact Inform	nation *						
Sł	hippina	Address *							
			Noight	lbs Height	ft/in			* ***	uirad
0	sermor		Veight	lbs Height	1(/111			" Tec	quired
В	ase C	Chai r							
×	1601000	Fuze T20 20° Manual Til	lt Wheelchair				E1161	\$	3,150
	(j)	Also available: the lightw	eight Bentley LT wit	h aluminum frame. See sepa	arate order form.	pdgmobility.com/blt			
F	r a m e	Type & Weight	Capacity						
		Frame Type							
	1602010	Fixed Width Frame 250 lbs	Weight Capacity. Select a F	Fixed Seat Width below.					
	1602025	Adjustable Width Frame 25	50 lbs Weight Capacity. Sel	lect an Adjustable Seat Width below				\$	100
		User Weight Range Red	quired for setup of tilt uplif	ft force.					
			1602410	150 lbs to 200 lbs	1602412	200 lbs to 250 lbs			
F	r a m e	Options							
			ystem (TTDS) is no lo	onger available for the Fuze ⁻	T20. We apologize	for the inconvenience.			
	()			minum frame as an alternati		der form.			
S	eat W	Vidth			Overall chair w	idth is +9.5" for 12/16" RW and +10.5'	" for 20/22/24" RW		
		Fixed Seat Widths Orde	er with Fixed Frame.						
	1603015	15" Seat Width							
	1603018	is seal width	1603016	16" Seat Width	1603017	17" Seat Width			
	1005010	18" Seat Width	16030161603019	16" Seat Width 19" Seat Width	1603017	17" Seat Width			
\Box	1603020		_		16030171603022	17" Seat Width 22" Seat Width	E2201	\$	375
		18" Seat Width	☐ 1603019 ☐ 1603021	19" Seat Width 21" Seat Width	_		E2201	\$	375
_	1603020	18" Seat Width 20" Seat Width	1603019 1603021 Order with Adjustable F	19" Seat Width 21" Seat Width	1603022		E2201	\$	375
	1603020 1603113	 18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 	 1603019 1603021 Order with Adjustable F 1603114 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14"	☐ 1603022 ☐ 1603115	22" Seat Width 13"-15" Range - Set at 15"	E2201	\$	375
	1603020	18" Seat Width 20" Seat Width Adjustable Seat Widths	 1603019 1603021 Order with Adjustable F 1603114 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16"	☐ 1603022 ☐ 1603115	22" Seat Width	E2201	\$	375
	1603020 1603113 1603215	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15"	 1603019 1603021 Order with Adjustable F 1603114 1603216 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14"	☐ 1603022 ☐ 1603115	22" Seat Width 13"-15" Range - Set at 15"	E2201 E2201	\$	375
	1603020 1603113 1603215 1603218	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 18"	 Grader with Adjustable F Order with Adjustable F 1603214 1603216 1603219 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16"	☐ 1603022 ☐ 1603115	22" Seat Width 13"-15" Range - Set at 15"			
	1603020 1603113 1603215 1603218 1603220 1603321	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 18" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21"	 Grader with Adjustable F Order with Adjustable F 1603214 1603216 1603219 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19"	☐ 1603022 ☐ 1603115	22" Seat Width 13"-15" Range - Set at 15"	E2201	\$	375
	1603020 1603113 1603215 1603218 1603220 1603321	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 18" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21"	 i603019 i603021 Order with Adjustable F i603114 i603216 i603219 i603322 	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19"	☐ 1603022 ☐ 1603115	22" Seat Width 13"-15" Range - Set at 15"	E2201	\$	375
	1603020 1603113 1603215 1603220 1603321 e a t D	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21" e p t h Standard Seat Depths (/	Adjustable)	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22"	 1603022 1603115 1603217 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17"	E2201	\$	375
S	1603020 1603113 1603215 1603218 1603220 1603321 e a t D 1604015	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21" O e p t h Standard Seat Depths (A 15" Seat Depth	Adjustable)	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22"	 1603022 1603115 1603217 	22" Seat Width 13"-15" Range - Set at 15"	E2201	\$	375
s	1603020 1603113 1603215 1603220 1603321 e a t D	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21" e p t h Standard Seat Depths (/	Adjustable)	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22"	 1603022 1603115 1603217 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17"	E2201	\$	375
s	1603020 1603113 1603215 1603220 1603321 e a t D 1604015 1604018 1604020	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 20" 21"-22" Range - Set at 21" Depth Standard Seat Depths (<i>J</i> 15" Seat Depth 18" Seat Depth 20" Seat Depth	Adjustable)	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22"	 1603022 1603115 1603217 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17"	E2201 E2201	\$ \$	375
s	1603020 1603113 1603215 1603220 1603321 e a t D 1604015 1604018 1604020	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 18" 15"-20" Range - Set at 20" 21"-22" Range - Set at 21" Depth Standard Seat Depths (A 15" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth	Adjustable) Adjustable) Adjustable) 1603011 1603114 1603219 1603229 1603322 1604016 1604019	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22" 16" Seat Depth 19" Seat Depth	 1603022 1603115 1603217 1603217 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17"	E2201 E2201	\$ \$	375
	1603020 1603113 1603215 1603220 1603321 e a t D 1604015 1604015 1604018 1604020 r a m e	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 20" 21"-22" Range - Set at 21" O e p t h Standard Seat Depths (// 15" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth	Adjustable) Adjustable of 1603019 1603021 1603014 1603114 1603216 1603219 1603322 1604019 1604019 View color swatches on PD	19" Seat Width 21" Seat Width Frame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22" 16" Seat Depth 19" Seat Depth	 1603022 1603115 1603217 1603217 1604017 colors 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17" 17" Seat Depth	E2201 E2201	\$ \$	375
	1603020 1603113 1603215 1603220 1603220 1603221 e a t D 1604015 1604015 1604018 1604020 r a m e 1605001	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 20" 21"-22" Range - Set at 21" O e p t h Standard Seat Depths (A 15" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth 20" Seat Depth	Adjustable) Adjustables	19" Seat Width 21" Seat Width ⁼ rame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22" 16" Seat Depth 19" Seat Depth	 i603022 i603115 i603217 i603217 i604017 i604017 i604017 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17" 17" Seat Depth Poppy Red	E2201 E2201	\$ \$	375
	1603020 1603113 1603218 1603220 1603220 1603321 e a t D 1604015 1604015 1604018 1604020 r a m e 1605001 1605003	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 20" 21"-22" Range - Set at 21" O e p t h Standard Seat Depths (A 15" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth 20" Seat Depth 8 Kandard Seat Depths (A 15" Seat Depth 18" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth	Adjustable) View color swatches on PD 1603019 1603021 1603114 1603216 1603219 1603322 1604016 1604016 1604019 View color swatches on PD 1605015 1605010	19" Seat Width 21" Seat Width 	 i603022 i603115 i603217 i603217 i603217 i603217 i603217 i603217 i603217 i603217 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17" 17" Seat Depth Poppy Red Lollypop Red	E2201 E2201	\$ \$	375
	1603020 1603113 1603215 1603220 1603220 1603221 e a t D 1604015 1604015 1604018 1604020 r a m e 1605001	18" Seat Width 20" Seat Width Adjustable Seat Widths 13"-15" Range - Set at 13" 15"-20" Range - Set at 15" 15"-20" Range - Set at 20" 21"-22" Range - Set at 20" 21"-22" Range - Set at 21" O e p t h Standard Seat Depths (A 15" Seat Depth 18" Seat Depth 20" Seat Depth 20" Seat Depth 20" Seat Depth	Adjustable) Adjustables	19" Seat Width 21" Seat Width ⁼ rame. 13"-15" Range - Set at 14" 15"-20" Range - Set at 16" 15"-20" Range - Set at 19" 21"-22" Range - Set at 22" 16" Seat Depth 19" Seat Depth	 i603022 i603115 i603217 i603217 i604017 i604017 i604017 	22" Seat Width 13"-15" Range - Set at 15" 15"-20" Range - Set at 17" 17" Seat Depth Poppy Red	E2201 E2201	\$ \$	375

1605023 Boysenberry Purple

1605014 Daffodil Yellow

\$ 300



FUZE T20

Order Form - USA

Prices in U.S. Dollars. January 1, 2024

Arm	r e	ests			
16060	000	No Armrests			
		Height Adjustable Armrests (Single Post) 8"-11" not compatible with 22" and 24" Rear Wheels.	E0973	\$	345
16061	11	8"-11" Range 🗌 1606114 10"-14" 🗌 1606116 12"-16" Range			
16061	00	Fixed Height Armrests (12") Full Length Armpad only.			
يو ا		Armrest Height If provided, Armrests will be set to this height by PDG. If left blank, the default setting will be used.			
-		Seat Pan to top of Armrest: Does not include height of Armpad			
		Locking Flip-up Armrests Not recommended for users with excessive strength or tone. Not compatible with Fold-down Back.	E0973	\$	345
16063	10	Set at 10" 🗌 1606311 Set at 11" 🗌 1606312 Set at 12"			
16063	13	Set at 13" [1606314 Set at 14"			
Arm	n a	a d s			
	p				
16071	00	Regular Armpads Desk Length - 2" x 10" 1607101 Full Length - 2" x 14"			
	00	Waterfall Armpads		\$	115
16071	05			4	115
	-	Wide Armpads May interfere with wheels in some tilt configurations.		\$	200
16071	10			•	
		Gel Armpads May interfere with wheels in some tilt configurations.		\$	135
16071	20				
		Contour Arm Trough with Hand Pad May interfere with wheels in some tilt configurations.	E2209	\$	125
16071	30	Right (4.5" x 18") 🔲 1607131 Left (4.5" x 18")			
A K 100	K 0				
Arm	re	est Options			
		Armrest Wideners Move Armrests outward by up to 1" on each side. Seat size does not change.			
16072		1" Total Additional Width 2" Total Additional Width		\$ \$	95 195
10072				Ş	193
Seat	P	Pan			
16080	00	No Seat Pan			
16080	01	Solid Aluminum Seat Pan	E2231	\$	165
S o o t		laight			
		leight			
Don't forge		Select desired Seat-to-Floor Height STF Height is adjustable.			
		5" Casters BW 13" 14" 15" 16" 17" 18" 19" RW 13" 14" 15" 16" 17" 18" 19"			
		RW 13" 14" 15" 16" 17" 18" 19" 12"			
		22" □ □ □ 22" □ □ □ 24" □ □ □ □ □ □			
		6" Casters & 8" Forks RW 13" 14" 15" 16" 17" 18" 19" RW 13" 14" 15" 16" 17" 18" 19"			
		RW 13" 14" 15" 16" 17" 18" 19" 12"			
		16" 16" 16" 16" 16" 16" 16" 16" 16" 16"			
		20" □ □ 20" □ □ 22" □ □ □ □ □			
		22" □ □ □ □ 22" □ □ 24" □ □ □ □ □ □			





Prices in U.S. Dollars. January 1, 2024

Casters										
		Urethane Casters								
16	511051	5" x 1.25" Caster size	611061	6" x 1.25" Caster size	1	611081	8" x 1.25" Caster size			
16	511063	6" x 1.50" Caster size							\$	85
16	511084	8" x 2.00" Caster size							\$	135
		Pneumatic Casters								
16	511161	6" x 1.25" Caster size						E2214 & E2215	\$	110
16	511181	8" x 1.25" Caster size						E2214 & E2215	\$	120
16	511184	8" x 2.00" Caster size						E2214 & E2215	\$	150
Rea	ar V	/heels								
		Composite Wheels								
☐ 16	512012	· _	612016	16" Wheel size		612020	20" Wheel size			
	512012		612024	24" Wheel size		012020				
		Spoke Wheels							\$	75
16	512120	•	612122	22" Wheel size		612124	24" Wheel size		,	
	512224	24" Heavy Duty Spoke Wheels							\$	350
		Rear Wheel Position Indicate Rear Whee	Incitio	ning professors of left blank, the default of	النبية مرينا	l bo usod			~	550
-		In the interest of maintaining chair stabily and avo								
16	512401	· · _	612402				Front Less stable			
Ax	le T	уре								
16	513000	Quick Release Rear Axles								
16	513010	Fixed Rear Axles								
Ro	ar T	ires								
		1105								
П 16	14000	Urothano Tiroc								
		Urethane Tires	C + - :-					E2211 9. E2212	ć	60
16	514010	Pneumatic Tires May result in a finished		Jht 1/2" greater than stated.	ou those of	inted No.	t available with Capito Mikeole	E2211 & E2212	\$ ¢	60
16					er than st	tated. No	t available with Spoke Wheels.	E2211 & E2212 E2211 & E2213	\$ \$	60 95
☐ 16 ☐ 16	514010	Pneumatic Tires May result in a finished Pneumatic Tires with Flat-Free Insert		y result in a finished Seat Height 1/2″ great			t available with Spoke Wheels. ble only with 20", 22", and 24" Rear V	E2211 & E2213		
☐ 16 ☐ 16	514010 514020 ndr	Pneumatic Tires May result in a finished Pneumatic Tires with Flat-Free Insert		y result in a finished Seat Height 1/2″ great				E2211 & E2213		
☐ 16 ☐ 16 Ha ☐ 16	514010 514020 ndr 515000	Pneumatic Tires May result in a finished s Pneumatic Tires with Flat-Free Insert		y result in a finished Seat Height 1/2″ great				E2211 & E2213		
☐ 16 ☐ 16 ☐ 16 ☐ 16 ☐ 16	514010 514020 ndr 515000	Pneumatic Tires May result in a finished s Pneumatic Tires with Flat-Free Insert Im s No Handrims	ts May	y result in a finished Seat Height 1/2″ great				E2211 & E2213		
☐ 16 ☐ 16 ☐ 16 ☐ 16 ☐ 16 ☐ 16	514010 514020 ndr 515000 515010	Pneumatic Tires May result in a finished s Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims	ts May	y result in a finished Seat Height 1/2″ great Ha				E2211 & E2213	\$	95
Ha 16 16 16 16 16 16	514010 514020 ndr 515000 515010 515020 515030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims	ts May	y result in a finished Seat Height 1/2″ great Ha				E2211 & E2213	\$ \$	95
Ha 16 16 16 16 16 16	514010 514020 ndr 515000 515010 515020 515030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not compatible	ts May	y result in a finished Seat Height 1/2″ great Ha				E2211 & E2213	\$ \$	95
Ha 16 16 16 16 16 16	514010 514020 ndr 515000 515010 515020 515030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims	ts May	y result in a finished Seat Height 1/2″ great Ha				E2211 & E2213	\$ \$	95
H a 16 H a 16 16 16 16 16	514010 514020 ndr 515000 515010 515020 515030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Locks & Brakes User Wheel Locks	ts May ble with I s only. 10	y result in a finished Seat Height 1/2″ great Ha				E2211 & E2213	\$ \$	95
Ha 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Locks & Brakes User Wheel Locks	ts May ble with I s only. 10	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock	Indrims a	re availal		E2211 & E2213	\$ \$	95
Ha 16 16 16 16 16 16 16 16	514010 514020 ndr 515000 515010 515020 515030 neel	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Wheel Locks & Brakes User Wheel Locks Push to Lock 1	ts May ble with I s only. 10 1616020 k) Not	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc	Indrims a	re availal		E2211 & E2213	\$ \$ \$	95 150 495
H a 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516030	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Locks & Brakes User Wheel Locks Push to Lock 1 Attendant Wheel Locks (Push to Lock)	ts May ble with I s only. 10 616020 k) Not	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc ile with Drum Brakes.	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$	95 150 495 85
H a 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516030 516040	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Wheel Projection Handrims Composite Wheel User Wheel Locks Push to Lock 1 Attendant Wheel Locks Not composite	ts May ble with I s only. 10 1616020 k) Not compatib e or 20" S	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc ile with Drum Brakes. poke Rear Wheels. Urethane Tires only.	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$	95 150 495 85 125
Ha 16 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516030 516040	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Wheel Locks & Brakes User Wheel Locks Push to Lock 1 Attendant Wheel Locks (Push to Locd User & Attendant Wheel Locks Not composite User & Attendant Wheel Locks Not composite User activated Unilateral Wheel Locks Not composite	ts May ble with I s only. 10 1616020 k) Not compatib e or 20" S k Pull	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc ile with Drum Brakes. poke Rear Wheels. Urethane Tires only.	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 85 125 795
Ha 16 16 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516030 516310	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Projection Handrims Composite Wheel Locks & Brakes User Wheel Locks Push to Lock Push to Lock Push to Lock Drum Brakes Available with 12" Composite User-activated Unilateral Wheel Lock	ts May ble with I s only. 10 1616020 k) Not compatib e or 20" S k Pull	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc le with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock.	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 85 125 795
H a 16 H a 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516040 516300 516310 n e e l	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Projection Handrims Composite Wheel Locks & Brakes User Wheel Locks Push to Lock Push to Lock Drum Brakes Available with 12" Composite User-activated Unilateral Wheel Locks Lock Options	ts May ble with I s only. 10 616020 k) Not compatib e or 20" S k Pull 1616311	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc He with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock. Right Activation	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 125 795 795
H a 16 H a 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516010 516030 516310	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not composite Projection Handrims Composite Wheel Locks & Brakes User Wheel Locks Push to Lock Push to Lock Drum Brakes Available with 12" Composite User-activated Unilateral Wheel Locks Lock Options	ts May ble with I s only. 10 616020 k) Not compatib e or 20" S k Pull 1616311	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc le with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock.	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 85 125 795
Ha 16 16 16 16 16 16 16 16 16 16 16 16 16	514010 514020 n d r 515000 515010 515020 515030 n e e l 516040 516300 516310 n e e l 516310	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Locks & Brakes User Wheel Locks Push to Lock Push to Lock Drum Brakes Available with 12" Composite User-activated Unilateral Wheel Locks Lock Options Wheel Lock Extensions	ts May ble with I s only. 10 616020 k) Not compatib e or 20" S k Pull 1616311	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc He with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock. Right Activation	Indrims a	re availal		E2211 & E2213	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 85 125 795 795
Ha 16 16 16 16 16 16 16 16 16 16 16 16 16	s14010 s14020 n d r s15000 s15010 s15020 s15030 n e e l s16030 s16030 s16310 n e e l s16310 n e e l s16100 t i - T	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Composite Wheel Locks & Brakes User Wheel Locks Push to Lock I Attendant Wheel Locks (Push to Locd User & Attendant Wheel Locks Not composite User-activated Unilateral Wheel Locd Lock Options Wheel Lock Extensions Not compatible	ts May ble with I s only. 10 (616020 k) Not compatib e or 20" S k Pull (616311 (616311)	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc He with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock. Right Activation	Indrims a	re availal		E2211 & E2213 /heels. E2228 E2228 E0961	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 85 125 795 795 80
Ha 16 16 16 16 16 16 16 16 16 16 16 16 16	s14010 s14020 n d r s15000 s15010 s15020 s15030 n e e l s16040 s16300 s16310 n e e l s16100 t i - T s17010	Pneumatic Tires May result in a finished 3 Pneumatic Tires with Flat-Free Insert Im s No Handrims Standard Handrims Plastic Coated Handrims Not compatil Projection Handrims Locks & Brakes User Wheel Locks Push to Lock Push to Lock Drum Brakes Available with 12" Composite User-activated Unilateral Wheel Locks Lock Options Wheel Lock Extensions	ts May ble with I s only. 10 616020 k) Not compatib e or 20" S k Pull 1 1616311 e with Att n.	y result in a finished Seat Height 1/2" great Ha Drum Brakes. Projections, 30°, 1-1.8" Length. Pull to Lock t compatible with Drum Brakes, Wheel Loc le with Drum Brakes. poke Rear Wheels. Urethane Tires only. to Lock. Right Activation tendant Wheel Lock.	k Extensio	ons.	ble only with 20", 22", and 24" Rear V	E2211 & E2213 Vheels. Vheels. E2228 E2228 E0961	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$ \$	95 150 495 125 795 795



FUZE T20

Back F	Posts		
	Back Post Style		
1618100	Stroller Handle Back Difference of the state		
	Back Post Type		
1618200	Straight		
	Back Post Height Measured from the Seat Pan to the Handle.		
1618420	Short (17") [1618425 Tall (23")		
	Back Post Folding		
1619220	Fold-down		
	Seat to Back Angle		
1619090	Set at 90°		
— 1619108	Set at 108° I 1619114 Set at 114° I 1619120 Set at 120°		
Back (Options		
	Angle/Height Adjustable Stroller Handle Not compatible with Headrest Mounting Plate or Cane Handle Back.	\$	150
1619010	Button on Outside 🗌 1619011 Button on Inside		
1619050	Removable Cane Handle Push Bar Not compatible with Stroller Handle Back.	\$	140
	Endomorph Back Backrest will be narrower than Seat by total of 2x the Offset selected below. Minimum width of Backrest is 12".	\$	395
1618102	1" Offset per side I 1618103 1.5" Offset per side I 1618104 2" Offset per side		
1619212	Headrest Mounting Plate Not compatible with Angle/Height Adjustable Stroller Handle, Cane Handle Back. Not required if mounting to a solid Back.	\$	95
Back	Jpholstery		
1620000	No Back Upholstery		
	Standard Upholstery Not available with Cane Handle Back. E2611/E2612	\$	195
1620418	Short (18" Height) 🔲 1620421 Regular (21" Height)		
1620450	Tension Adjustable Upholstery Height of Upholstery is 16". Not available with Cane Handle Back. E2611/E2612	\$	295
	Position of Upholstery Select the desired position of the top of the Upholstery relative to the Seat Pan.		
	17" Back Post 23" Back Post		
	Style 17" 18" 19" 20" 21" 22" 23" 24" 25" Style 17" 18" 19" 20" 21" 22" 23" 24" 25" Style 17" 18" 19" 20" 21" 22" 23" 24" Short		25"
	Short Image: Short		
	Tension Adj Image: Adj image: Add image: Adj image:		
Tilt A	ctivation		
	Attendant Tilt only Select trigger mounting location below.		
1623011	Right Back Post I 1623012 Left Back Post		
Front	Rigging		
1625000	No Front Rigging 🔲 1625001 Sector Blocks only		
	Easy-Out TM Front Rigging Effortless insertion and removal. No Hanger Bracket remains on frame. <u>pdgmobility.com/easy-out</u>	÷	05
1625410	Fixed 70°	Ş ¢	95 205
1625420	Universal Angle Adjustable (0°-110°) Set at angle: (use increments of 10°) Adjust angle by loosening one bolt. Tool-free leg-length adjustment. Front Rigging can interfere with casters in the 90-110° settings.	Ş	295
	Swing Away Front Rigging Legacy Design. Not compatible with Easy-Out.		
1625130	Swing Away 60° I 1625140 Swing Away 70°		
1625160	Swing Away 90° Includes 11"-16" Extension Tubes. Not compatible with 8" Casters.	\$	75
1625200	Swing Away Elevating Legrests Includes Calf Pads. E0990	\$	415
1625300	1" Offset Hangers for Swing Away	\$	75
1625110	Standard Plug In 70° Front Rigging Legacy Design. Not compatible with Easy-Out.		



FUZE T20

Order Form - USA

Prices in U.S. Dollars. January 1, 2024

Footp	lates			
1626010	Composite Footplates			
1626020	Aluminum Angle Adjustable Footplates	K0040	\$	200
1626030	One Piece Fixed Footplate Available on Plug In Front Rigging only. Requires selection of Composite or Aluminum Angle Adjustable.		\$	350
1626040	One Piece Flip-up Footplate Requires selection of Composite or Aluminum Angle Adjustable.		\$	395
1626050	Interlocking Angle Adjustable Foot Plates Available for Seat Widths up to 21" only.	K0040	\$	200
Footra	est/Legrest Accessories			
FOOLIE				
— 1/27012	Calf Pad Not compatible with Gel Padding.		¢	200
 1627012 1627010 	For Easy-Out TM Front Rigging Includes reinforced premium Calf Pad mount. For Swing Away Front Rigging		\$ \$	200 135
1627020	Gel Padding Not compatible with Calf Pad or Easy-Out Front Rigging.		\$	125
	Gel Knee Pad		*	125
1627032	For Easy-Out [™] Angle Adjustable Front Rigging		\$	200
1627030	For Swing Away ELR Front Rigging		\$	100
1627040	Length Adjustable Heel Loops	E0951	\$	50
1627050	Bodypoint Padded Calf Strap	K0038	\$	195
	· ·			
Front	Rigging Extension Tubes			
	Regular Extension Tubes No selection required for 90° Front Rigging			
1628010	Short <u>14"-18"</u> for Easy-Out Front Rigging <u>13"-17"</u> for Swing Away and Standard Plug In Front Rigging			
1628020	Long <u>18"-24"</u> for Easy-Out Front Rigging <u>15"-19"</u> for Swing Away and Standard Plug In Front Rigging		\$	75
J.	Lower Leg Length If provided, Front Rigging will be set to this length by PDG. If left blank, the default setting will be used.			
•	Seat Pan to Foot Plates: Measured along the length of the Front Rigging. Consider the height of your Seat Cushion.			
Misce	llaneous Options			
	Spoke Guards Available for 20"-24" Composite Rear Wheels. Made from durable and lightweight aluminum.	K0065	\$	195
1630020	Black I 1630021 Frame Color	10005	Ļ	195
		957 & E1028	\$	650
1630060	Small Pad 3"x4"x3"x2" size I 1630062 Large Pad 5"x5"x4"x3" size	57 4 27020	Ŷ	050
1630080		956 & E1028	\$	495
1630090	Hip Belt Mount Provides improved mounting options for Bodypoint Hip Belt or other third-party belts.	E1028	\$	55
	IV Pole Requires minimum 15" STF Height.	E0776	\$	295
1630110	Installed on Left Side		,	
1630120	O2 Holder 15" STF and higher.	E2208	\$	395
1630160	Clear Lap Tray (Slide On) Available for Seat Widths of 17"-22" only. Not compatible with Contour Arm Trough.	E0950	\$	490
1630200	Q'Straint Lap Belt Model S5-6329-11. For use with WC-19 Transit Tie Down System. 24"-51" Belt Length.		\$	245
1630222	Wheelchair Backpack Black with PDG Logo. 17"x14" size.		\$	145
1630170	Adhesive Back Hook Strip, 2" x 30" For Cushion mounting.		\$	10
			,	
0 n - C h	air Seating & Positioning			

- (j) I
 - Refer to the separate Seating & Positioning order form for PDG's on-chair options. Standard PDG discounts apply. pdgmobilty.com/seating

Order Notes

HCPCS codes provided are based on code verification by PDAC or PDG's interpretation of existing code definitions. Use of HCPCS codes not guarantee coverage or payment.

Please send your completed order form by email to info@pdgmobility.com or by fax to 877 323 9093.